



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES,
FOR WEEK ENDED JUNE 1, 1912.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md.	558,485	171	9	...	17	...	7	26	26	12	2
Boston, Mass.	670,585	209	34	2	149	4	17	1	80	15	16	...
Chicago, Ill.	2,185,283	576	104	11	254	3	219	7	5	...	68	68	15	...
Cleveland, Ohio.	560,663	119	17	1	111	...	29	4	24	16	4	1
New York, N. Y.	4,766,883	1,275	242	15	1,396	22	305	21	368	136	41	4
Philadelphia, Pa.	1,549,008	407	60	5	27	...	62	3	111	49	25	1
Pittsburgh, Pa.	533,905	134	12	1	201	5	40	1	31	6	8	1
St. Louis, Mo.	687,029	201	25	1	18	...	42	36	22	4	...
Cities having from 300,000 to 500,000 inhabitants.														
Cincinnati, Ohio	364,463	104	5	...	12	...	11	34	16	5	2
Los Angeles, Cal.	319,198	87	4	...	7	...	5	...	1	...	31	9	3	2
Milwaukee, Wis.	373,857	...	7	1	143	5	15	...	3	...	13	9	13	2
Newark, N. J.	347,469	96	10	...	25	1	18	26	10	3	...
New Orleans, La.	339,075	126	1	...	14	...	4	...	1	...	22	13	2	...
San Francisco, Cal.	416,912	136	5	...	9	...	4	...	1	...	18	16	2	...
Washington, D. C.	331,069	123	1	...	117	...	5	32	23	2	1
Cities having from 200,000 to 300,000 inhabitants.														
Jersey City, N. J.	267,779	59	1	...	1	6
Kansas City, Mo.	248,381	17	3	...	15	...	3	1	13	...	1	...
Providence, R. I.	224,326	76	7	1	2	2	16	1	3	7	1	1
Seattle, Wash.	237,194	38	5	...	16	...	4	6	6	5	1
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	31	1	1	5	1	6	1	3	4
Cambridge, Mass.	104,839	26	1	...	50	...	1	7	2	1	...
Dayton, Ohio.	116,577	34	1	...	64	3	...	3	3	...	1
Fall River, Mass.	119,295	35	1	...	3	...	2	6	7	1	1
Grand Rapids, Mich.	112,571	36	5	...	1	2	4	5	...
Lowell, Mass.	106,294	29	1	...	42	2	3	2	1	2	...
Nashville, Tenn.	110,364	42	2	5	6
Omaha, Nebr.	124,096	37	1	...	3	2	1	...	3	1
Richmond, Va.	127,628	46	24	3	5	1	...
Spokane, Wash.	104,402	...	2	...	26	3
Toledo, Ohio.	188,497	58	5	3	85	1	3	7	5	1
Worcester, Mass.	145,986	...	9	1	37	1	2	4	3
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	...	1	1	1	...
Bayonne, N. J.	55,545	17	5	...	4	1
Brockton, Mass.	56,878	7	8	2	...	3	...
Camden, N. J.	94,538	...	3	2	9
Duluth, Minn.	78,466	25	2	11	...	1	4	4	4	1
Elizabeth, N. J.	73,409	18	2	...	5	...	6	1	1
Evansville, Ind.	69,647	15	1	1	1	1	1	...
Fort Wayne, Ind.	63,933	12	2	...	9	...	2	2	2	1	...
Harrisburg, Pa.	64,186	16	2	...	11	1	4
Hartford, Conn.	98,915	31	5	...	40	...	9	8	3
Hoboken, N. J.	70,324	6	1	5
Houston, Tex.	78,800	37	1	...	2
Johnstown, Pa.	55,482	18	9	...	3	1	1
Kansas City, Kans.	82,331	...	1	...	2	...	1	1
Lawrence, Mass.	85,892	19	1	1	9	2	3
Lynn, Mass.	89,336	20	1	...	5	...	1	1	3	1	...
Manchester, N. H.	70,063	22	1	...	11	1	...
New Bedford, Mass.	96,652	16	1	...	2	...	2	6	2	1	...
Oklahoma City, Okla.	64,205	13	1	...	1	3	1	1
Passaic, N. J.	54,773	14	1	1	16	...	1	1
Pawtucket, R. I.	51,622	1
Peoria, Ill.	66,950	12	2
Reading, Pa.	96,071	21	4	...	20	...	1	2	1	9	...

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended June 1, 1912—Continued.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Con.														
Saginaw, Mich.	50,510	12	2		3		4						1	
San Antonio, Tex.	96,614	63	4				3		1				1	1
Schenectady, N. Y.	72,826	17			60	2	8				6	2		
South Bend, Ind.	53,684	14					2					1	1	
Springfield, Ill.	51,678	11	1						2				2	
Springfield, Mass.	88,926	26			14		5				3	1	1	
Trenton, N. J.	96,815	29	3				2				12	5	9	
Wilkes-Barre, Pa.	67,105	20	3		3						5			
Wilmington, Del.	87,411	19										3		
Yonkers, N. Y.	79,803	14	2	1	4		5				1	1		
Cities having from 25,000 to 50,000 inhabitants.														
Aurora, Ill.	29,807	6	1		1							1		
Berkeley, Cal.	40,434		1		3		1				1	1		
Binghamton, N. Y.	48,443	15			1						1		1	
Brookline, Mass.	27,792	5	1		18		1				1			
Chelsea, Mass.	32,452	14			13		1				3	2	1	
Chicopee, Mass.	25,401	4			5								1	
Danville, Ill.	27,871	7										1		
East Orange, N. J.	34,371				26									
Elmira, N. Y.	37,176	8	1		70						2		2	
El Paso, Tex.	39,279	40		1			2		6	2		7		
Everett, Mass.	33,484	8			10		2				3	1	2	
Fitchburg, Mass.	37,826	7					1				4	1		
Haverhill, Mass.	44,115	10	1		11		3				5	1		
Kalamazoo, Mich.	39,437	19									4	2		
Knoxville, Tenn.	36,346	7							8			3		
La Crosse, Wis.	30,417	7	3											
Lancaster, Pa.	47,227				9								1	
Lexington, Ky.	35,099	8	2		4						3			
Lima, Ohio.	30,508	5			3		1							
Lynchburg, Va.	29,494	11			11	1	2					1		
Malden, Mass.	44,404	15	1		29		1				2	2		
McKeesport, Pa.	42,694	5												
Montgomery, Ala.	38,136	19			2				1			1	5	
Mount Vernon, N. Y.	30,919		1		17		1				1			
Newcastle, Pa.	36,280		2		1							1		
Newport, Ky.	30,309	6					1	1			2	2		
Newton, Mass.	39,806	8			62						1	1		
Niagara Falls, N. Y.	30,445	10	1	1	1				1		2	1		1
Norristown, Pa.	27,875	7					1						1	
Orange, N. J.	29,630	10			3							1		
Pasadena, Cal.	30,291	4												
Pittsfield, Mass.	32,121	10	3		2						2	1	1	
Portsmouth, Va.	33,190	8					1		1			1		
Racine, Wis.	38,002	11	2				1							
Roanoke, Va.	34,874	9			7		2				2		2	
Rockford, Ill.	45,401	19	1				6					1	24	
Salem, Mass.	43,697	12			2				1			2		1
San Diego, Cal.	39,578				3	1					5	5		
South Omaha, Nebr.	26,259	8												
Superior, Wis.	40,384	12	2				4							
Taunton, Mass.	34,259	8			1		1				1	3		
Waltham, Mass.	27,834		3	1	17							1		
West Hoboken, N. J.	35,403		1		10		2							
Williamsport, Pa.	31,860	15	4		72		1					1	2	
Wilmington, N. C.	25,748	9			8		1				1	1	1	
York, Pa.	44,750		3		21		1				4			
Zanesville, Ohio.	28,026	5											6	
Cities having less than 25,000 inhabitants.														
Alameda, Cal.	23,833	2			41						1	1		
Ann Arbor, Mich.	14,817	10	1	1								1		
Bennington, Vt.					17								1	
Biddeford, Me.	17,079	5												
Braddock, Pa.	17,759	5			1						1			
Cambridge, Ohio.	11,327	3									1			

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended June 1, 1912—Continued.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants—Continued.</i>														
Camden, S. C.		2										1		
Carbondale, Pa.	17,040	3			9									
Clinton, Mass.	13,075	3					1				2			
Columbus, Ga.	20,554	12												
Columbus, Ind.		2					1					1		
Cumberland, Md.	21,839	11			29									
Dunkirk, N. Y.		4									1	1	4	1
Galesburg, Ill.	20,089	3	4											
Harrison, N. J.	14,498	2	2		2						1	2		
La Fayette, Ind.	20,081	6												
Logansport, Ind.	19,050	6	1		1						1	3	1	
Marinette, Wis.	14,610	2											1	
Marlboro, Mass.	14,577	2									1			
Massillon, Ohio.	13,879	1	2				1							
Medford, Mass.	23,156	8			40		1					1		
Melrose, Mass.	15,715	1			18									
Moline, Ill.	24,199	7					1					2		
Montclair, N. J.	21,550	8			5						5	2	1	
Morristown, N. J.	12,507	3			12									
Nanticoke, Pa.	18,509	5	1											
Newburyport, Mass.	19,240	3	1				1				1		2	
North Adams, Mass.	22,012	3			1									
Northampton, Mass.	19,431	7	1		4						1	1		
Palmer, Mass.		6												
Rutland, Vt.	13,546												1	
Saratoga Springs, N. Y.		5										1		
South Bethlehem, Pa.	19,973	5			2						1	1		
Steeleton, Pa.	14,246	2	2		18									
Wilkinsburg, Pa.	18,294	3			1		1							
Woburn, Mass.	15,308	3									1			

STATISTICAL REPORTS OF MORBILITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

NORTH DAKOTA.—Month of April, 1912. Population, 577,056. Total number of deaths from all causes 359. Cases reported: Diphtheria 11, measles 8, scarlet fever 43, smallpox 15, tuberculosis 8, typhoid fever 13.

OREGON.—Month of January, 1912. Population, 672,765. Total number of deaths from all causes 399, including diphtheria 4, scarlet fever 2, smallpox 1, tuberculosis 59, typhoid fever 3. Cases reported: Diphtheria 41, measles 11, scarlet fever 59, smallpox 141, tuberculosis 14, typhoid fever 13.

Month of February, 1912. Total number of deaths from all causes 450, including diphtheria 1, scarlet fever 1, smallpox 1, tuberculosis 30, typhoid fever 5. Cases reported: Diphtheria 42, measles 15, scarlet fever 76, smallpox 86, tuberculosis 23, typhoid fever 16.

Month of March, 1912. Total number of deaths from all causes 490, including diphtheria 2, measles 1, scarlet fever 1, tuberculosis 67, typhoid fever 1. Cases reported: Diphtheria 11, measles 35, scarlet fever 62, smallpox 61, tuberculosis 23, typhoid fever 11.